

ACCESSORIES FOR RESILIENT SPORTS FLOORINGS

FINISHING ACCESSORIES


WOOD VENTILATED SKIRTINGS



Specific wood varnished skirting with spaces made to allow cross ventilation of the vinyl flooring when installed with GreenLay® method.

	Wood Ventiladed Skirting		Wood Ventiladed Skirting (standard)	Wood Ventiladed Skirting (wide)
	(standard)	(wide)		
Oak varnished	1551067	1551068	1 box of 5 units=11.75 lm Thickness: 22mm Width: 65 mm Length: 2350mm	1 box of 4 units=9.40 lm Thickness: 27mm Width: 84 mm Length: 2350mm
Beech varnished	1551065	1551066		
Maple varnished	1551069	1551070		

VINYL SKIRTINGS



Flexible PVC skirting for Omnisports range used in sports halls to finish the installation. Available in 5 colours and 3 wood species.

1 box of 20 pcs = 51.40lm
60mm high x 15mm wide x 2570mm long

Characteristics	Article code
Beech	1551064
Black	1446007
Grey	1446009
Maple	1551062
Oak	1551063
Red	1446018
Royal blue	1551061
Sky blue	1551059

THRESHOLD STRIP




Aluminium one-piece transition strip used to join the sport flooring to surrounding floorings. Reinforced for heavy loading and striated for better grip. 4 different sizes to match various thickness differences. To be screwed.


60 or 80mm wide: 1 box of 10 pcs = 30lm
100 or 130mm wide: 1 box of 5 pcs = 15lm
5mm high x 3000mm long

Characteristics	Article code
60mm wide	1551078
80mm wide	1551079
100mm wide	1551080
130mm wide	1551081

ADAPTABLE TRANSITION STRIP



Aluminium adaptable transition strip for floorings with leveling up to 14mm. Striated for a better grip. To be screwed.



1 box of 10 pcs = 27lm
41mm high x 2700mm long
Article code: 1551071

INSTALLATION ACCESSORIES


LINOFINISH



PU finish for Linosport Classic (4mm), ensuring sports performance and resistance of the surface. To be applied in situ.

Linofinish Kit
(5 liters Primer Can + 2 cans of 5 liters of Linofinish to be mixed with the Linofinish hardener)
Article code: 1551083

GREENLAY® INSTALLATION KIT



Specifically adapted to ensure the durability of GreenLay® installation.

GreenLay® glue: Used to form a cove where floor coverings are contined up the wall.
2 components (A+B), 1 pot of 5kg each

Component	Article Code
A	1551057
B	1551058

GreenLay® tape: Used to form a cove where floor coverings are contined up the wall.
Usually used 1 box of 6 rolls (1roll: 100mm x 25m)
Article code: 1551082

TABLE TENNIS



Double-tape unroller enabling the application of double-tape and the assembly of the 2 vinyl rolls of table tennis temporary solution.


Article code: 1430002

ACCESSORIES FOR HARD SPORTS FLOORINGS

FINISHING ACCESSORIES

>SKIRTINGS

WOOD VENTILATED SKIRTINGS



Specific wood varnished skirting with spaces made to allow cross ventilation of the wood flooring or sub-construction.
For S'Match-it and Lumaflex ranges.

	Wood Ventiladed Skirting		Wood Ventiladed Skirting (standard)	Wood Ventiladed Skirting (wide)
	(standard)	(wide)		
Oak varnished	1551067	1551068	1 box of 5 units=11.75 lm Thickness: 22mm Width: 65 mm Length: 2350mm	1 box of 4 units=9.40 lm Thickness: 27mm Width: 84 mm Length: 2350mm
Beech varnished	1551065	1551066		
Maple varnished	1551069	1551070		

>TRAPDOORS



Trapdoors used to ensure the positioning of goals in sports halls.
Filled with wood (S'Match-it range) or vinyl/linoleum (Lumaflex range) for perfect colour matching.

WOOD RANGE



	Diameter 135mm (net opening 90mm)	Diameter 220mm (net opening 170mm)
Oak	1551028	1551029
Beech	1551030	1551031
Maple	1551032	1551033

LUMAFLEX RANGE



	Diameter 135mm (net opening 90mm)	Diameter 220mm (net opening 170mm)
"bare" trapdoor to be filled with Linosport or Omnisports	1551034	1551035

FINISHING ACCESSORIES

>TRANSITION PROFILES

TRANSITION SET FOR WOOD AND LUMAFLEX



Facilitates access to wood or combined sports systems (up to 40mm high). Made of exotic wood for extreme resistance.

40mm x 2700mm
5.4lm per bundle
Article code: 1551072


ADJUSTABLE RAMP



Aluminium adaptable ramp even for high thickness floorings.
Conforms to accessibility standards and regulations.

140 x 960 mm
Order per unit
Max Height 100mm
Article code: 1551074

TELESCOPIC RAMP




Telescopic aluminium ramp suitable for high thickness up to 100mm.
Conforms to accessibility standards and regulations.

760mm width x 1120 to
1830 mm long
Order per unit
Article code: 1551073

ACCESSORIES FOR SPORT FLOORINGS FOR RESILIENT SPORT FLOORINGS

INSTALLATION ACCESSORIES

WOOD (TARGLUE / TARGUN)




Targlue (PU mastic glue) and Targun have been specifically designed for the installation of Multiflex M. Applied with Targun, Targlue fixes the Tarflex subconstruction with the 14mm multi-layer.



Targlue
1 cardboard of 20 bags of 600ml each
1 cardboard = 200sqm
Article code: 1551006

Targun
order per unit
Article code: 1551007

LUMAFLEX INSTALLATION KIT



All inclusive installation kit for Lumaflex for a quick and easy installation. Nozzle specifically engineered for Lumaflex profile.




LUMAGLUE
5kg bucket
Article code: 1551075

Glueing system
Article code: : 1551077 (special no stock)

Nozzle
Article code: 1551076

Glue



Lumaflex Glue
Delivery System
+ Lumaflex nozzle



FOR PROTECTIONS

UNROLLER FOR TOUCHDOWN



Unroller designed to facilitate the installation of Touchdown rolls. Made up of 2 supporting frameworks fitted with castors and one mandrel.



TROLLEY FOR PROTECTILES



Trolley made of 4 articulated wheels with rubber strips and 2 brakes. Capacity: 100 ProtecTiles

